

Web Images Videos Maps News Shopping Gmail more ▼

Scholar Preferences Sign in

Google scholar

sort keyword weight time

Search

Advanced Scholar Search

Scholar

Articles and patents

2000

include citations

Create email alert

Results 1 - 10 of about 4,790. (0.34 sec)

[PDF] Automatic text processing: the transformation

G. Salton. - Analysis and Retrieval of Information by Computer, 1988 - cs.hawaii.edu
... If = term frequency frequency of a term/keyword in a document The higher the tf, the higher the ...
... be retrieved are those that include the word - Retrieve the inverted list for the word - Sort in
decreasing ... a3, ..., and a = weight of ti in D Query Q = < b1, b2, b3, ..., bn > b = weight of ti ...
Cited by 136 - Retrieved articles - View as HTML - Library Search - All 12 versions

[PDF] from huiji.guj

[PDF] Description of preliminary results to TREC-8 QA task

G. H. Lin. - TREC, 1999 - trec.nist.gov
... Using templates is some sort of information extraction. The contents of documents are ... answering
... sentences. Each keyword of a question sentence is assigned a weight, so are their various
morphological forms. Those words tagged as NNP and NNPS, which denote ...
Cited by 15 - Retrieved articles - View as HTML - All 12 versions

[PDF] from madagay

Gene Alert-a sequence search results keyword parser

H. Huang. - Engineering in Medicine and Biology, ..., 1998 - ieeexplore.ieee.org
... At this time other parameters that control the automatic e-mailing of results and the amount of ...
1.0 [8/5/1997] H. Huang, HR Garner UT Southwestern Medical Center, Copyright 1997 Gene
Alert Sort for Config70 ... Keywords / Weights / Number of Hits: Keyword Weight Total Hits ...
Cited by 1 - Retrieved articles - All 2 versions

PLIERS - a parallel information retrieval system using MPI

A. MacFarlane, J. McCune. - Recent Advances in Parallel ..., 1996 - Springer
... a buffer of asynchronous receives issuing a MPI_Inc for a worker each time it has ... Term Weighting
operations have following phases: retrieve sets for the keyword, weight all sets given collection
statistics, merge the sets accumulating scores for documents and sort for final ...
Cited by 5 - Retrieved articles - All 2 versions - All 12 versions

[PSI] from dsu.edu

[CITATION] Keyword

장기현. - 대한의학학회지, 1970
All 4 versions

[PDF] Uncertainty modelling for adaptive information management

G. Pournazeri. - HP LABS/STATISTICS TECHNICAL REPORT HPL 1996 - Grassear
... the association law may be easily extended to cope with the change. We can imagine some sort
of "level ... 4, 12) and later developments [3, 4, 5] on vector representations where the idea of "weight"
[1] is introduced for the strength of the relationship between keyword and object ...
Cited by 15 - Retrieved articles - View as HTML - Library Search - All 12 versions

[PDF] from pnu.edu

Brain growth in sick preterm neonates: a real time ultrasound study

G. Boffard, A. Breyer. - Early Human Development, 1986 - oia-ibj.ac.be
... Substance Links. Substance (MeSH Keyword). Substance (Publisher) Links. PMC Links ... 200.
500. Sort By. Pub Date. ... A calculation of the global anthropometric (body weight, body length,
HC and HFL) weekly increment was made for all infants according to their respective group. ...
All 12 versions

Computer-aided decision making with a symbolic spreadsheet

R. Awernter, M. E. Hwang. - US Patent 5,152,793, 1993 - Google Patents
... list for that candidate as arguments and returns a number to be used as the rank weight for the ...
Depending on the current situation, Stop Rules 218 also accepts as a keyword either the current ...
the entire list of candidates must 20 be generated to do a complete sort of preferred ...
Cited by 57 - Retrieved articles - All 2 versions

A unified framework for semantics and feature based relevance feedback in image retrieval systems

X. Lu, C. Hu, X. Zhai, H. Zhang. - Proceedings of the eighth ..., 2000 - portal.acm.org
... T and input into the low-level feedback component T. Compute the ranking score for each image
using equation 7 and sort the results ... One assumption we have made in the design of the system
is that a significant portion of the total weight of all the keyword associations with ...
Cited by 228 - Retrieved articles - All 12 versions

[PDF] from pnu.edu

A probabilistic-based mechanism for video database management systems

M. Shui, G. Chen. - Multimedia and ISPA, 2000 - 2000 - ieeexplore.ieee.org
... the top-ranked path indicates a state sequence that provides the information for the query with
maximal cumulative edge weight ... 7. Sort the 3.2 ... is a multimedia input string which is constructed
to model the spatio-temporal relations of semantic objects and keyword compositions ...
Cited by 11 - Retrieved articles - All 12 versions

[PDF] from pnu.edu

Create email alert

sort keyword weight time

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google